




Texture

CS 419


Slides by Ali Farhadi



What is a Texture?



Texture Spectrum



Texture scandals!!



Bush campaign digitally altered TV ad

President Bush's campaign acknowledged Thursday that it had digitally altered a photo that appeared in a national cable television commercial. In the photo, a handful of soldiers were multiplied many times.

This section shows a sampling of the duplication of soldiers.




Original photograph



Two crucial algorithmic points

- Nearest neighbors
 - again and again and again
- Dynamic programming
 - likely new; we'll use this again, too

Texture Synthesis




How to paint this pixel?




Input texture

Ask Neighbors




- What is the conditional probability distribution of p , given it's neighbors?



Input image



- Don't bother to model the distribution
 - It's already there, in the image

Efros & Leung Algorithm



Synthesizing a pixel

non-parametric
sampling




Input image

Concerns


- Distance metric
- Neighborhood size
- Order to paint

Distance metric

- Normalized sum of squared distances
- Not all the neighbors worth the same
 - Gaussian mask
- Preserve the local structure
- Pick among reasonably similar neighborhoods










Neighborhood size






Varying Window Size






Increasing window size

The Order matters




Some Results




More Results

ut it becomes harder to lau
ound itself, at "this daily
wing rooms," as House Der
scribed it last fall. He fai
at he left a ringing question
ore years of Monica Lewin
inda Tripp?" That now see
Political comedian Al Fra
ext phase of the story will





he 1994 film "The Last of the Mohicans" is a story of a group of men who are
at nda trears coune Tring rooms," as Hef he fast nd it l
ars dat noears cortseas ribed it last nt hest bedian Al. I
e conical Homd ith Al. Hef tars of, as da Lewindailf l
lian Al Ths," as Lewing questies last aticarsticall. He
is dian Al last fal counda Lew, at "this dailyears dily
edianicall. Hoozewing rooms," as House De fale f De
und itical counoestscribed it last fall. He fall. Hef ft
rs oroheoned it nd it he left a ringing questica Lewin.
icars coecoms," astore years of Monica Lewinow see
a Thas Fring roomne stooniscat nowea re left a roouse
bouestof Mfe l left a Lést fast ngine láuuesticars Hef
nd it rip?" TrHouself, a ringind itsonestid it a ring que
astical cois ore years of Moung fall. He ribof Mouse
ore years of anda Tripp?" That hedian Al Lést fasee yea
nda Tripp?" Political comedian Alét he few se ring que
olitical cone re years of the storears ofas l Frat nica L
res Lew se lest a rime l He fas questnging of, at beou




More Results

french canvas



rafia weave




wood



More Results

granite





white bread





More Results


brick wall





Growing Regions Hole Filling





Hole Filling



Extrapolation



Failure Cases



Growing garbage




Verbatim copying

Pros and Cons

- Very simple
- Easy to implement
- Promising results



- Very sloooooooooowwwwwww
- Idea:
 - Patches instead of pixels

Patch based





Synthesizing a block

non-parametric
sampling




Input image


- Observation
 - neighbouring pixels are highly correlated
- Idea:
 - unit of synthesis = block





Random placement
of blocks




Neighboring blocks
constrained by overlap





Minimal error
boundary cut



Minimal error boundary





Dynamic Programming



$$e_{ij} = (B1_{ij}^{ov} - B2_{ij}^{ov})^2$$

$$E_{i,j} = e_{i,j} + \min(E_{i-1,j-1}, E_{i-1,j}, E_{i-1,j+1})$$


Dynamic Programming




$$e_{ij} = (B1_{ij}^{ov} - B2_{ij}^{ov})^2$$

$$E_{i,j} = e_{i,j} + \min(E_{i-1,j-1}, E_{i-1,j}, E_{i-1,j+1})$$









Random placement
of blocks





Neighboring blocks
constrained by overlap




Minimal error
boundary cut






More Results






More Results









Efros & Freeman SIGGRAPH01







Failures



Texture Transfer

- Take the texture from one object and paint it on another object



Decomposing shape and texture


Very challenging

Walk around

Add some constraint to the search



Source Texture




Destination



Source Map




Destination Map






Texture Transfer







+

=



Efros & Freeman SIGGRAPH01



parmesan



+



=



rice



+



=



Image Analogies



Image Analogies




Image Analogies





Image Analogies



Training



Unfiltered source (A)



Filtered source (A')



B



B'



Hertzman, Jacobs, Oliver, Curless, and Salesin, SIGGRAPH01



B



B'



Hertzman, Jacobs, Oliver, Curless, and Salesin, SIGGRAPH01

Learn to Blur



Unfiltered source (A)



Filtered source (A')



Unfiltered target (B)



Filtered target (B')


Texture by Numbers



Unfiltered source (A)



Filtered source (A')



Unfiltered (B)



Filtered (B')

Colorization



Unfiltered source (A)

▪
▪



Filtered source (A')

▪
▪



Unfiltered target (B)

▪
▪




Filtered target (B')


Super-resolution



A




A'



Super-resolution (result!)




B




B'

Training images







Inpainting



Order of inpainting matters



Choosing the order



Given a patch Ψ_p centred at the point p for some $p \in \delta\Omega$ (see fig. 3), its priority $P(p)$ is defined as the product of two terms:

$$P(p) = C(p)D(p). \quad (1)$$

We call $C(p)$ the *confidence* term and $D(p)$ the *data* term, and they are defined as follows:

$$C(p) = \frac{\sum_{q \in \Psi_p \cap \bar{\Omega}} C(q)}{|\Psi_p|}, \quad D(p) = \frac{|\nabla I_p^\perp \cdot \mathbf{n}_p|}{\alpha}$$

Criminisi et al 03

where $|\Psi_p|$ is the area of Ψ_p , α is a normalization factor (e.g., $\alpha = 255$ for a typical grey-level image), and \mathbf{n}_p is a unit vector orthogonal to the front $\delta\Omega$ in the point p . The


Constraining the match region

- We don't have to look for matches in the whole image
 - idea: allow user to “paint” good sources of matches on top of the image

Nearest Neighbor search

The core of most of the patch based methods
Very slow


Smarter neighborhood search



Inpainting



(a) input



(b) hole and guides



(c) completion result



(d) input




(e) hole



(f) completion (close up)



(g) same input



(h) hole and guides



(i) guided (close up)

Applications



(a) original

(b) hole+constraints

(c) hole filled



(d) constraints

(e) constrained retarget

(f) reshuffle

Retargeting

- Make an image bigger or smaller in one direction
 - eg change aspect ratio
- Traditional
 - cut off pixels
 - difficulty: lousy results
- Strategy
 - cut out a curve of pixels that “doesn’t matter much”
 - low energy at pixels
 - many energy functions, eg

$$e_1(\mathbf{I}) = \left| \frac{\partial}{\partial x} \mathbf{I} \right| + \left| \frac{\partial}{\partial y} \mathbf{I} \right|$$

Finding a seam=DP




- Different energies give different results

- e_1 = abs gradient (as above)
- e_{hog} = (look for gradients in patch)
- $e_{entropy}$ = (entropy of patch)
- e_{seg} = (segment image, e_1 in segments, 0 on boundaries)




(a) Original




(b) e_1



(c) $e_{Entropy}$



(d) e_{HoG}



(e) Segmentation and L_1



Seam removal



Scaling



Cropping


Retargeting





Avidan, Shamir, SIGGRAPH07

Can use constraints in retargeting



Constrained retargeting



Local scale editing



(a) building marked by user



(b) scaled up, preserving texture



(c) bush marked by user



(d) scaled up, preserving texture.

reshuffling



(a) input

(b) our reshuffling



(a)



(b)



(c)



(d)



(e)



(f)



(g)



(h)



(i)



(j)