

## Causes of colour


- The sensation of colour is caused by the brain.
- One way to get it is the response of the eye to the presence/absence of light at various wavelengths.
  - Dreaming, hallucination, etc.
  - Pressure on the eyelids
- Light could be
  - emitted with wavelengths absent (flourescent light vs. incandescent light)
  - differentially reflected e.g. paint on a surface
  - differentially refracted e.g. Newton's prism
  - subject to wavelength dependent specular reflection (most metals).
  - Flourescence -
    - invisible wavelengths absorbed and reemitted at visible wavelengths.
  - Phosphorescence (ditto, energy, longer timescale)


BLUE	YELLOW
GREEN	BLUE
RED	GREEN
YELLOW	RED
BLUE .	YELLOW
RED	GREEN
GREEN	BLUE
BLUE	YELLOW
YELLOW	RED
	GREEN
	GREEN RED YELLOW BLUE RED GREEN BLUE YELLOW





## Sunlight














Fig. 1.18 Reflection: red light bounces off an opaque red object, while light of other colours is absorbed.




Fig. 1.17 Absorption: a red transparent medium absorbs all wavelengths of light except red (a); a blue transparent medium absorbs all wavelengths except blue (b)





Fig. 1.25 Rayleigh scattering: when particles in air or water are small relative to light wavelength they scatter blue light preferentially.



from "Colour in nature", P. Farrant



from "Colour in nature", P. Farrant



From Lynch and Livingstone, Color and Light in Nature



From Lynch and Livingstone, Color and Light in Nature



From Lynch and Livingstone, Color and Light in Nature



From Lynch and Livingstone, Color and Light in Nature




Fig. 2.7C Scattering patterns for different particles. (a) Large irregular particles, lilke those comprising dust and smoke, are irregular in the sense that they are not symmetric. They do, however, have a strong forward scattering peak and a smaller though still pronounced backscattering peak. (b) Air molecules have a scattering function that is symmetric fore and aft: they scatter the same amount of light in both the forward and backward directions but lack both the forward and backscattering peak. (c) Large water drops have a strong forward and backscattering peak and also show angies.

Big (dust, smoke)

Air molecules

Water drops





Fig. 2.7A (LEFT) Aureole around the sun. The sun is hidden by a street lamp. To the eye, the sky appeared clear.




Fig. 2.7B (RIGHT) The next day the sky was exceptionally clear and there was no aureole.



Scattering (again) causing Tyndall Blue

(notice because scattering occurs at an interface, all media could be translucent e.g. fresh snow)



ig. 10.4 (a) Feather structure of blue bird.

b) Section through blue arbule: Tyndall blue is a tructural colour caused by cattering of blue wavelengths y microscopic particles in the uter layer of cells. Inside the eather there is a dark melanin acking.



from "Colour in nature", P. Farrant




from "Colour in nature", P. Farrant



PL. 10.21 Green snakes and lizards have a yellow pigment in combination with structural Tyndall blue and a melanin backing.

Photo: P. Farrant






Fig. 1.16 Transmission: light waves of all colours pass through a colourless transparent medium.



from "Colour in nature", P. Farrant




Fig. 1.20 Interference: when two light waves are in phase, they interfere positively to reinforce each other and produce a wave with double the intensity of colour (a). When two waves are out of phase they cancel each other and no colour is seen (b).






Fig. 1.22 Iridescence: when a light wave is partially reflected and partially transmitted at the surface of a thin layer of transparent material (e.g. a bubble), the two parts of the original wave may interfere with each other when the transmitted wave is reflected from a lower layer and re-emerges at the surface. In this case the blue waves are in phase and their colour is reinforced (a) but the red waves are out of phase and their colour is cancelled (b).








Fig. 10.1 The iridescence-producing structure of peacock feathers comprises evenly spaced melanin rods and air spaces, embedded in keratin.





Fig. 10.2 The iridescenceproducing structure of (a) sunbirds' feathers comprises layers of solid melanin platelet embedded in keratin, whereas that of (b) hummingbirds' consists of hollow melanin-line flat discs, also embedded in keratin.

Fig. 10.3 Iridescence in morpho butterflies is due to sloping layers within ridges on the win



PL. 10.9 Urania moths have iridescent scales containing layers of chitin, air spaces and a backing of melanin. *Photo: P. Farrant* 



**PL. 10.5** In pigeons, relatively large granules of melanin produce some interference colours. *Photo: P. Farrant.* 




PL. 10.2 Goatfish with iridescent eyes; light is reflected from regular layers of guanine particles.




Layers of guanine + other phenomena



upper colour reflecting layer + lower white layer + chromatophores








## The color of objects


- Colored light arriving at the camera involves two effects
  - The color of the light source
  - The color of the surface
  - Changes caused by different colored light sources can be large



## Color receptors and color deficiency


- Trichromacy is justified -
  - in color normal people, there are three types of color receptor (shown by molecular biologists).
- Some people have fewer;
  - most common deficiency is red-green color blindness in men. Red and green receptor genes are carried on the X chromosome. Most red-green color blind men have two red genes or two green genes. Yields an evolutionary story.
- Deficiency
  - can be caused by CNS, by optical problems in the eye, or by absent receptors
- Other color deficiencies:
  - Anomalous trichromacy
  - Achromatopsia
  - Macular degeneration


## Color receptors





Principle of univariance: cones give the same kind of response, in different amounts, to different wavelengths. Output of cone is obtained by summing over wavelengths.


Responses measured in a variety of ways

















## Geometric phenomena








From Lynch and Livingstone, Color and Light in Nature





Mirage at base of truck

From Lynch and Livingstone, Color and Light in Nature



Minnaert, Light and Color in the outdoors

Notice flattened sun, sparkles





From Lynch and Livingstone, Color and Light in Nature



From Lynch and Livingstone, Color and Light in Nature




From Lynch and Livingstone, Color and Light in Nature






From Lynch and Livingstone, Color and Light in Nature






From Lynch and Livingstone, Color and Light in Nature






From Lynch and Livingstone, Color and Light in Nature




From Lynch and Livingstone, Color and Light in Nature



Minnaert, Light and Color in the outdoors Heiligenschein



From Lynch and Livingstone, Color and Light in Nature



From Lynch and Livingstone, Color and Light in Nature